




VÁLVULA SANITARIA MARIPOSA

Clamped Butterfly-Type Ball Valve
Válvula de Bola tipo Mariposa Clamp

No. **DLaT053**

Size	A	D	B	KxK
25	91.0	86.0	50.5	8x8
32	95.0	90.0	50.5	10x10
38	95.0	102.0	50.5	11x11
51	119.0	124.0	64.0	11x11
63	If need other detailed datas, please contact us			
76				
89	Si necesita datos más detallados, por favor, contáctenos.			
102				




VÁLVULA SANITARIA CHECK

Clamped Check Valve
Válvula Check tipo Clamp

No. **DLaT066**

Size	B2	B	A
19	87.0	50.5	100
25	87.0	50.5	100
32	87.0	50.5	100
38	87.0	50.5	100
51	100.0	64.0	115
63	115.0	77.5	127
76	130.0	91.0	127
89	155.0	106.0	150.0
102	165.0	119.0	155.0






VÁLVULA SANITARIA BOLA

Two-Piece Clamped Ball Valve
Válvula de Bola Clamp de dos piezas

No. **DLaT057**

Size	Dimension(mm)				
	A	B	H	L	
3/4"	19	95.0	50.5	55.0	105.0
1"	25	115.0	50.5	55.0	105.0
1 1/4"	32	120.0	50.5	65.0	130.0
1 1/2"	38	140.0	50.5	65.0	150.0
2"	51	165.0	64.0	85.0	160.0




VÁLVULA SANITARIA MARIPOSA NEUMÁTICA

Pneumatic Butterfly Valve
Válvula Mariposa Neumática

No. **DLaT016**

Size	A	B	C	L	H	H1
DN15	66.0	78.0	34×1/8	85.0	222.5	180.5
DN20	66.0	78.0	44×1/8	85.0	222.5	180.5
DN25	66.0	78.0	52×1/8	85.0	222.5	180.5
DN32	70.0	82.0	58×1/8	85.0	224.5	180.5
DN40	74.0	88.0	65×1/8	85.0	227.5	180.5
DN50	78.0	110.0	78×1/8	85.0	238.5	180.5
DN65	84.0	127.0	95×1/8	85.0	247.0	180.5
DN80	90.0	140.0	110×1/4	85.0	253.5	180.5
DN100	108.0	160.0	130×1/4	85.0	263.5	180.5
DN125	130.0	190.0	160×1/4	133.0	418.0	298.0
DN150	150.0	225.0	190×1/4	133.0	435.5	298.0






VÁLVULA DE MUESTREO


304 Sample Valve



- 304 stainless steel
- Silicone O-ring and plunger ensure a leak-proof shut-off
- surface finish polished to sanitary standards
- end connections available: clamp and NPT
- sizes available: 1" clamp and 3/8" NPT
- temperature rating: 300° @ 200 PSI



NPT end configuration



clamp end configuration

Size	Type	Part Number		Dimensions (in)			Weight (lbs)
				A	B		
3/8"	NPT	BSVWNS-G375	3.58	.360	.235	.378	.72
1"	clamp	BSVWCS-G100	3.25	.360	.235	.378	.88
1"	butt-weld	NEW BSVWBS-G100	3.58	.360	.235	.235	.72